




SOMALIA



Tropical Medicine and Infectious Disease Management in Somalia

Operational Roles, Systemic Challenges, Epidemiological Priorities, and Capacity Building Pathways

Authored by: Dr Abdulrazaq Yusuf Ahmed; Dr Jalaaludiin; Coordinator of MSc in Tropical Medicine and Infectious Diseases; Postgraduate School of Benadir University

From outbreak response to system resilience.

Advancing the readiness for infectious diseases in Somalia

Tropical medicine, a specialized field, is crucial for health system resilience when infectious threats persist.

BURDEN OF INFECTIOUS DISEASES IN SOMALIA



Figure. Infectious disease burden visual used to introduce the article's public health framing.

SOMALIA TMID CONTEXT AT A GLANCE

A fragile setting where infectious-disease control depends on specialist leadership, surveillance, and resilient systems.

UHC INDEX

27/100

Well below regional and global benchmarks

POPULATION

15.6M

Youthful, mobile, and exposure-prone population

IDPs

2.6M

Large displaced populations in dense urban settlements

UNDER AGE 30

~75%

Demographic intensity amplifies service and surveillance demands

Why specialist TMID capacity matters

- Links clinical care with microbiology, outbreak detection, and public-health action.
- Addresses syndemics driven by conflict, malnutrition, WASH-system gaps, and displacement.
- Supports response to diphtheria, cholera, measles, dengue, and variant poliovirus.
- Strengthens stewardship, IPC, lab systems, CHWs, and climate-health preparedness.

Figure. Context panel summarizing the article's structural and epidemiological argument.

Top 10 Causes of death in Somalia




Figure. Leading causes of death in Somalia used to anchor the opening burden narrative.

Introduction: The Operational Context of Tropical Medicine



Figure. Introductory theme banner framing the opening definition of tropical medicine and infectious disease.

SOMALIA TMID CONTEXT AT A GLANCE

A fragile setting where infectious-disease control depends on specialist leadership, surveillance, and resilient systems.

UHC INDEX	POPULATION	IDPs	UNDER AGE 30
27/100 <small>Well below regional and global benchmarks</small>	15.6M <small>Youthful, mobile, and exposure-prone population</small>	2.6M <small>Large displaced populations in dense informal settlements</small>	~75% <small>Demographic intensity amplifies service and transmission demands</small>

Why specialist TMID capacity matters

- Links clinical care with microbiology, outbreak detection, and public-health action.
- Addresses syndemics driven by conflict, malnutrition, WASH-system gaps, and displacement.
- Supports response to diphtheria, cholera, measles, dengue, and variant poliovirus.
- Strengthens stewardship, IPC, lab systems, CHWs, and climate-health preparedness.

Figure. At a glance contextual indicators referenced in the opening section.

Tropical Medicine and Infectious Diseases (TMID) represent a highly specialized, interdisciplinary domain within clinical medicine, dedicated to the diagnosis, prevention, mitigation, and treatment of diseases endemic or hyperendemic to tropical and subtropical regions. Historically, TMID's academic and clinical focus was predominantly centered on parasitic infections and vector-borne ailments. However, the discipline has undergone significant evolution, now encompassing an expanded spectrum of emerging viral threats, zoonotic spillover events, and the escalating burden of non-communicable diseases (NCDs) intricately linked to rapid environmental degradation, unplanned urbanization, and global climate change.

Tropical diseases are increasingly conceptualized as “diseases of poverty,” disproportionately impacting the global “bottom billion” an estimated 1.3 to 1.4 billion individuals living below the World Bank poverty threshold. In these settings, TMID specialists serve as the frontline defenders of global health equity, leveraging advanced molecular microbiology for pathogen identification and implementing robust community-based epidemiological surveillance systems.

The Federal Republic of Somalia epitomizes one of the most operationally challenging, resource-constrained, and epidemiologically dynamic environments for TMID practice. Decades of protracted civil conflict, persistent political fragmentation, and recurrent climatic shocks have critically undermined the nation's healthcare infrastructure. The universal health coverage index stands at 27 out of 100 markedly below both global and regional averages. Somalia's demographic profile, with an estimated population of 15.6 million, is characterized by a high fertility rate (6.4–6.9 children per woman), a youthful population (approximately 75% under age 30), and 2.6 million internally displaced persons (IDPs) residing in dense, informal settlements.

Within this fragile context, infectious diseases dominate the national health landscape. Lower respiratory tract infections, diarrhoeal diseases, tuberculosis, and measles remain leading causes of mortality, exacerbated by widespread protein-energy malnutrition. The synergistic interplay of endemic tropical pathogens, climate-induced population displacement, extreme poverty, and systemic infrastructural deficits underscores the critical, life-saving importance of TMID specialization in Somalia.




Figure. Zero dose immunization map placed alongside the article's discussion of coverage gaps and vaccine vulnerability.




Figure. Life expectancy comparison providing broader context for structural health disadvantage.

INFECTIOUS DISEASE MANAGEMENT IN SOMALIA



The figure refers to Benadir University, where the specialization in tropical medicine was completed through formal training.

Core Responsibilities of Tropical Medicine and Infectious Disease Specialists




Figure. User provided infographic summarizing epidemiological priorities, system challenges, operational roles, and capacity building pathways.

TMID specialists assume a multifaceted role encompassing advanced clinical care, precision diagnostics, epidemiological surveillance, and public health policy formulation. Their practice demands adaptability across clinical and public health domains, requiring continuous recalibration in response to evolving epidemiological realities.

Clinical Management of Complex and Neglected Pathogens

Central to TMID practice is the clinical management of a diverse spectrum of pathogens, with a particular emphasis on the 17 World Health Organization defined neglected tropical diseases (NTDs). These include chronic, debilitating conditions such as hookworm infection, schistosomiasis, onchocerciasis (river blindness), lymphatic filariasis (elephantiasis), trachoma, Chagas disease, Buruli ulcer, and leishmaniasis. Although Chagas disease is regionally specific to the Americas, the broader NTD category constitutes the most prevalent infections in African developing nations, perpetuating cycles of poverty and morbidity.

Beyond NTDs, TMID specialists confront high burden vector borne diseases, notably malaria caused by *Plasmodium falciparum* and *P. vivax* and transmitted by *Anopheles* mosquitoes. Management entails navigating complex treatment protocols, including artemisinin based combination therapies, vigilant monitoring for severe manifestations such as cerebral malaria, and surveillance for emerging drug resistant

strains. Arboviral threats, including dengue and Zika viruses transmitted by Aedes mosquitoes, present distinct clinical challenges due to the absence of specific antiviral therapies. Here, nuanced supportive care, meticulous fluid management, and rigorous vector control strategies are paramount for effective disease containment.

Managing the Water Sanitation Hygiene (WASH) Disease Matrix

Table 1. WASH associated infectious disease categories relevant to Somalia

WASH Disease Category	Primary Transmission Mechanism	Key Pathogens in Somalia	Clinical & Systemic Challenge
Waterborne	Ingestion of contaminated water	Vibrio cholerae, Salmonella typhi, Shigella spp., Cryptosporidium spp., Rotavirus	Severe dehydration, high pediatric mortality
Water Washed	Poor hygiene due to water scarcity	Ascaris spp., Trichuris trichiura, Chlamydia trachomatis (Trachoma), Scabies	Chronic morbidity, need for behavioral intervention
Water Based	Aquatic intermediate hosts	Schistosoma spp., Dracunculus medinensis	Complex diagnostics, environmental remediation
Water Related Vector	Insects breeding in stagnant water	Plasmodium spp., Dengue Virus, Yellow Fever Virus	Drug resistance management, absent antiviral therapies

Note: Titles and formatting were standardized in the revised layout; data values are preserved from the source manuscript.

In Somalia, TMID specialists are routinely engaged in the classification, diagnosis, and treatment of diseases directly attributable to catastrophic deficits in water, sanitation, and hygiene (WASH) infrastructure. These diseases are epidemiologically categorized into four principal groups, each demanding tailored clinical and public health interventions:

Waterborne Diseases: Transmitted via ingestion of water contaminated with pathogenic microorganisms, typically due to inadequate sewage disposal. Key pathogens include Entamoeba histolytica, Cryptosporidium spp., Giardia lamblia, Salmonella typhi, Shigella spp., Vibrio cholerae, Rotavirus, and Hepatitis A virus. These diseases frequently precipitate rapid dehydration and disproportionately high pediatric mortality, especially in malnourished populations.

Water Washed Diseases: Thrive in environments with insufficient water for personal hygiene. These encompass soil transmitted helminths (Ascaris spp., Trichuris trichiura, Ancylostoma duodenale), acute respiratory infections, dermatological conditions (scabies, impetigo), ophthalmic diseases (trachoma, conjunctivitis), and vector borne illnesses (typhus, relapsing fever).

Water Based Diseases: Result from parasitic pathogens whose intermediate life cycles involve aquatic hosts. Infections occur through direct skin penetration (schistosomiasis) or ingestion of infective forms via aquatic intermediaries (Dracunculus medinensis, paragonimiasis, clonorchiasis).

Water Related Vector Transmitted Diseases: Caused by insect vectors breeding in stagnant water, including mosquito borne diseases (malaria, dengue, yellow fever, filariasis) and fly borne diseases (onchocerciasis, loiasis).

Diagnostic Precision and Epidemiological Intelligence

The clinical presentation of tropical diseases is often characterized by non specific, overlapping symptomatology. Malaria, dengue fever, typhoid, and various hemorrhagic fevers frequently manifest as acute febrile illness, myalgia, fatigue, and gastrointestinal disturbances. TMID specialists are thus tasked with implementing and interpreting advanced microbiological diagnostics, balancing the use of rapid diagnostic tests (RDTs) for point of care screening with molecular methods such as polymerase chain reaction (PCR) for definitive identification and drug resistance profiling.

Beyond individual patient management, TMID specialists aggregate clinical data to inform public health surveillance systems, including the Early Warning Alert and Response Network (EWARN) and Integrated Disease Surveillance and Response (IDSR) frameworks. This process enables the early detection, interception, and containment of outbreaks, preventing escalation into national epidemics

**“FROM OUTBREAK RESPONSE
TO SYSTEM RESILIENCE.
ADVANCING THE READINESS
FOR INFECTIOUS DISEASES
IN SOMALIA”**



**“Tropical medicine,
a specialized field,
is crucial for
health-system
resilience when
infectious
threats persist”**



TMID specialization within Somalia's fragile, resource limited, and conflict affected context is marked by systemic, environmental, and biological obstacles that threaten the efficacy of medical interventions.

The Crisis of Antimicrobial Resistance (AMR)

Antimicrobial resistance constitutes a silent and escalating public health emergency, undermining the effectiveness of traditional therapeutic regimens. The rapid emergence and dissemination of drug resistant strains, particularly *Plasmodium falciparum*, complicates malaria control. Bacterial resistance, exacerbated by unregulated antibiotic sales, empirical prescribing by unqualified practitioners, rampant self medication, and deficient diagnostic microbiology, has rendered previously treatable infections increasingly fatal. The scarcity of last line antibiotics such as carbapenems and polymyxins further compounds therapeutic challenges in decentralized and under resourced Somali health settings.

Vaccine Development and Antigenic Polymorphism

Vaccination remains the cornerstone of public health intervention; however, the biological complexity of tropical pathogens presents formidable obstacles. The development of effective vaccines for parasitic diseases, notably malaria, is hindered by extreme antigenic polymorphism and rapid immunological memory loss. The World Health Organization's RTS,S/AS01 malaria vaccine, while a historic advancement, demonstrates limited real world efficacy (~36%) in highly exposed populations. Thus, TMID specialists must integrate vaccination with persistent vector control and prophylactic strategies to achieve meaningful disease reduction.

The Climate Disease Nexus and Environmental Disruption

Environmental science and tropical medicine are increasingly convergent disciplines, as disease outbreaks become more frequent and unpredictable due to global climate change, unplanned urbanization, and ecosystem disruption. In Somalia, hydro meteorological shocks droughts and floods directly influence disease transmission cycles. Droughts promote congregation around contaminated water sources, precipitating waterborne and zoonotic disease outbreaks, while floods destroy sanitation infrastructure, disseminating fecal pathogens and triggering cholera surges. For TMID specialists, climate change is an immediate clinical determinant, not a distant future risk.

Significance of TMID: Somalia's Epidemiological Profile (2024 2026)




Table 2. Selected high burden infectious disease threats in Somalia, 2024 – 2026

Endemic Disease	Recent Burden (Up to 2025/2026)	Systemic & Environmental Vulnerability Drivers
Cholera (AWD)	78,244 cases (2018 – 2024); 21,944 in 2024	Climate shocks; displaced populations; WASH deficits; child malnutrition
Diphtheria	3,267 cases, 136 deaths; CFR up to 29.4%	Zero – dose populations; vaccine coverage failure; DAT shortage
Measles	6,859 lab – confirmed cases; CFR 8.8%	Low vaccine coverage; malnutrition; weak cold – chain logistics
Dengue	Urban transmission; 10.8% IgM positivity	Water storage practices; urbanization; efficient Aedes vectors
Variant Poliovirus	8 – year uninterrupted outbreak	Immunization inaccessibility; surveillance gaps

Tropical Medicine, Health Security, and System Resilience in Somalia.

A careful review of current epidemiological data shows that multiple major outbreaks of vaccine preventable, vector – borne, and waterborne diseases are happening at the same time, creating a complex public health situation.

Diphtheria Resurgence and Immunity Gap

Diphtheria (*Corynebacterium diphtheriae*), locally termed Gawracato, has re – emerged in Somalia with unprecedented virulence. Since mid – 2023, outbreaks have proliferated from Mahaday District to major regions, with 3,267 suspected cases and 136 deaths reported by November 2025. The crisis is accentuated by a vast immunity gap 73% zero – dose patients and atypical age distribution, with 61% cases in individuals older than five years. High mortality is driven by systemic toxin effects and a critical shortage of Diphtheria Antitoxin (DAT) and intensive care facilities. Despite “Big Catch – Up” campaigns, pentavalent vaccine coverage remains below the herd immunity threshold.

Cholera Endemicity and WASH Deficit

Somalia is among the world’s most entrenched cholera endemic zones. Continuous transmission since 2017 resulted in 78,244 suspected cases (2018 – 2024), peaking at 21,944 cases and 137 deaths in 2024. Children under five bear the brunt, accounting for 60% of cases, driven by malnutrition and persistent exposure in IDP communities lacking safe water and sanitation. Multisectoral interventions, such as the 2025 Priority Areas for Multisectoral Interventions (PAMI), are aligned with global frameworks to address these vulnerabilities.

Measles: Persistent Circulation and High Fatality

Measles remains endemic in all 18 administrative regions, with 6,859 laboratory – confirmed cases (2018 – 2024). Urban areas, notably Banadir, Southwest, and Hirshabelle, are disproportionately affected. The case fatality rate of 8.8% is linked to malnutrition, vitamin A deficiency, and limited healthcare access. MCV1 vaccine coverage stagnates at 46%, far below the 95% threshold required for herd immunity.

Dengue Fever and Vector Ecology

Dengue fever's resurgence, particularly in Banadir, reflects shifting vector ecology and urbanization. Investigations in 2022-2023 found 10.8% IgM positivity and 11.8% NS1 antigen positivity among febrile patients, correlating with water storage practices in urban IDP settlements that facilitate Aedes mosquito breeding and efficient transmission cycles.

Variant Poliovirus

Somalia continues to experience the world's longest uninterrupted outbreak of variant poliovirus, spanning nearly eight years. Inaccessible conflict zones hinder routine immunization and acute flaccid paralysis (AFP) surveillance, sustaining transmission.




Figure. Zero dose immunization map supporting the measles, diphtheria, and vaccine gap discussion.

Figure. Programmatic impact card illustrating zero dose outreach and campaign action.

Strategic Priority of TMID in Somalia's Healthcare System

Communicable disease management constitutes the foundational imperative of Somalia's healthcare system. Strategic prioritization of TMID is operationalized through national policy frameworks, capacity building initiatives, and primary care restructuring.

Essential Package of Health Services (EPHS 2020)

Somalia's pursuit of Universal Health Coverage is anchored in the EPHS 2020, which supersedes the original 2009 package. A pragmatic, sequenced implementation ensures communicable diseases HIV, TB, malaria, NTDs, respiratory and gastrointestinal infections are core programmatic areas at the primary care level. Integration of previously fragmented, vertical programs into a unified, holistic delivery system reduces operational redundancies and fosters sustainable, state led stewardship.

Health Sector Strategic Plan (HSSP III 2022-2026)

The HSSP III framework guides mid-term system development, emphasizing the establishment of an Integrated Disease Surveillance and Response (IDSR) system. Consolidation of disparate reporting streams into a cohesive network enhances data quality, reduces frontline reporting burdens, and accelerates outbreak detection and resource allocation. The National Viral Hepatitis Strategic Plan 2024-2029 exemplifies targeted integration of screening and vaccination into routine care.

Laboratory Capacity Building: The Transformative Impact of COVID-19

Prior to 2020, Somalia’s laboratory infrastructure for advanced diagnostics was negligible, with outbreak samples routinely exported to regional centers. The COVID-19 pandemic catalyzed rapid, permanent upgrades: the acquisition of RT-PCR capabilities at the National Public Health Reference Laboratory (NPHRL) in 2020, decentralization of molecular capacity to state laboratories, and innovative repurposing of GeneXpert platforms for expanded testing. By 2022, facilities in Mogadishu, Garowe, and Hargeisa achieved next-generation genomic sequencing (NGS) proficiency, enabling internal surveillance of SARS-CoV-2 variants and integration into global data-sharing initiatives (GISAID). This transition from emergency response to permanent genomic surveillance apparatus marks a pivotal elevation of TMID within Somalia’s strategic priorities.

Human Resource Deficit and the Indispensable Role of the Specialist

Despite policy advancements and infrastructure upgrades, Somalia’s healthcare system remains critically constrained by an acute shortage of specialized human capital. With less than one skilled health worker per 1,000 individuals, 0.03 physicians per 1,000, and an almost negligible specialist surgical workforce, the deficit in infectious disease expertise is particularly dire. During the onset of the COVID-19 pandemic, only four to five qualified infectious disease physicians served the entire nation, with cascading adverse effects on public health outcomes.

The absence of specialists necessitates systemic task-shifting, overburdening general practitioners and nurses with complex diagnostic and therapeutic responsibilities. This phenomenon not only compromises patient outcomes but also exacerbates antimicrobial resistance trends. Healthcare workers face elevated infection risks, as evidenced by a 61% COVID-19 positivity rate among tested HCWs within the first 180 days of the outbreak.

Combating Antimicrobial Resistance and IPC Failures

Somalia’s National Action Plan (NAP) on AMR, developed under a One Health approach, is hampered by limited stewardship and technical capacity. Alarming high rates of resistance, such as MRSA prevalence up to 97%, underscore the urgent need for specialist-led antimicrobial stewardship programs, updated treatment guidelines, and enhanced diagnostic microbiology. Infection Prevention and Control (IPC) assessments reveal severe deficiencies, with only 24% of facilities enforcing standard precautions and 26% possessing functional sterilizing equipment. TMID specialists are indispensable in designing and enforcing IPC reforms to mitigate healthcare-associated infections (HAIs).

Frontline Clinical Excellence: The De Martino Hospital Paradigm


Table 3. Illustrative service outputs demonstrating specialist impact at De Martino Hospital

Performance Metric	Volume / Achievement	Specialist Impact
Total Case Management	485,670 cases	Systemic reliance on referral center
COVID-19 Management	> 32,000 cases	Specialist-designed isolation and IPC protocols
Severe Acute Malnutrition	20,000 pediatric cases	Specialized stabilization centers; reduced infectious mortality
Critical Care & Surgery	19,400 critical cases; 25,000 surgeries	Advanced sterilization, HAI prevention

The transformative impact of TMID specialization is exemplified by the operational evolution of De Martino Public Hospital in Mogadishu. Reconstructed and designated as the national referral

center for COVID 19 and infectious diseases, the hospital, under specialist leadership, established advanced isolation wards, malnutrition stabilization centers, and rigorous IPC protocols. Over three years, the facility managed 485,670 clinical cases, including 20,000 cases of severe acute malnutrition and over 32,000 COVID 19 cases. Daily specialist led training elevated clinical competency among 287 staff, demonstrating the force multiplier effect of embedded TMID expertise on systemic resilience and patient survival.

INFECTIOUS DISEASE MANAGEMENT IN SOMALIA



Expanding Capacity: Field Epidemiology, Academic Pathways, and Diaspora Engagement

Sustainable improvement of Somalia's healthcare system requires mass capacity building, advanced epidemiological training, and strategic international collaboration. The Field Epidemiology Training Program (FETP), launched in 2021 and supported by Africa CDC, AFENET, and global partners, utilizes a competency based model integrating 25% didactic instruction with 75% fieldwork. Frontline FETP trainees have investigated 95 outbreaks (2021–2023), including severe measles, cholera, and dengue clusters, with 51% responded to within 48–72 hours. FETP graduates have conducted surveillance in high risk, inaccessible areas, contributing to polio eradication initiatives. TMID specialists serve as mentors, curriculum designers, and instructors, ensuring continuous generation of localized epidemiological expertise and resilience.

Enhancing Postgraduate Education in Tropical Medicine and Infectious Diseases

Table 4. Training pathways strengthening the tropical medicine and infectious disease workforce

Academic Institution / Program	Focus Area / Degree Offered	Contribution to National Healthcare Capacity
Field Epidemiology Training Program (FETP)	Frontline, Intermediate, Advanced Certificates	Develops rapid response, field ready “disease detectives” capable of investigating and intercepting outbreaks within 48–72 hours.
MSF Academy / Stellenbosch University	Hybrid Postgraduate Diploma in Infectious Diseases	Provides rigorous, work based clinical expertise to doctors operating in highly active, resource limited MSF field projects.
Benadir University Postgraduate School	Master of Tropical and Infectious Diseases (two year program)	Trains multidisciplinary teams including physicians, dentists, pharmacists, nurses, epidemiologists, and biologists to predict outbreaks, conduct disease surveillance, and control epidemics.

To cultivate a resilient and self sustaining pipeline of specialists, Somali academic institutions are accelerating the integration of advanced tropical medicine and public health curricula within their postgraduate programs. This strategic expansion is pivotal for developing domestic expertise capable of leading complex disease control efforts and addressing the nation's unique epidemiological challenges.

Benadir University's Postgraduate School exemplifies these advancements by offering a rigorous two year Master of Tropical and Infectious Diseases program. This curriculum comprehensively addresses the full spectrum of infectious pathogens including bacteria, viruses, parasites, and fungi that pose significant threats in tropical regions. Notably, HIV, malaria, and pulmonary tuberculosis remain the leading causes of morbidity and mortality in these environments. In addition, numerous neglected and emerging diseases are endemic and frequently trigger epidemics, further complicating already strained healthcare systems in resource limited settings. The program is meticulously designed to equip professionals with the skills required to anticipate outbreaks, conduct robust disease surveillance, and implement effective epidemic control measures.

The Master of Science in Tropical and Infectious Diseases comprises a minimum of four and a maximum of ten semesters, each lasting fifteen weeks. Candidates are required to complete between three and five course units per semester, totaling fifteen units of sixty hours each, alongside a practicum and a research project.

Instruction is delivered through lectures, seminars, tutorials, laboratory sessions, and practical fieldwork. The first year is dedicated to coursework, continuous assessment, and examinations, with progression to the second year contingent upon successful completion of these requirements. During the second year, students undertake a practicum in their chosen discipline, develop an original research proposal, compose a dissertation, and sit for final examinations.

For clinicians unable to leave active field assignments, innovative international hybrid models offer essential pathways to specialization. The two year Postgraduate Diploma in Infectious Diseases, jointly delivered by the MSF Academy and Stellenbosch University, enables Somali medical professionals in demanding, resource limited environments to access world class training through a blend of advanced e learning and supervised clinical practice.

Additionally, the Advanced PG Diploma in Tropical Medicine, Surveillance, and Immunization (APGD TMSI) from the James Lind Institute provides flexible, online modules in tropical laboratory medicine and public health informatics. These academic avenues are instrumental in transforming the general practitioner workforce into highly specialized TMID experts, capable of spearheading national disease control programs and elevating healthcare standards.

A photograph showing a woman in a light-colored public health uniform with a 'PUBLIC HEALTH' patch on her sleeve, shaking hands with a woman who is holding a young child. They are outdoors in a rural setting with lush greenery and a building in the background. Other people are visible in the background, some sitting on a bench.

“Tropical medicine in fragile settings is not only about treating illness; it is about protecting communities, institutions, and the future of public health.”

The Strategic Engagement of the Somali Diaspora

A highly effective mechanism for strengthening Somalia’s health system is the systematic engagement of diaspora health professionals. Recognizing the severe brain drain caused by decades of conflict, international organizations such as the International Organization for Migration (IOM) have launched critical initiatives like the Migration for Development in Africa (MIDA) FINNSOM program.

This initiative facilitates the temporary return of highly qualified Somali infectious disease specialists, epidemiologists, and senior public health experts residing in Europe and North America to host institutions across Somalia, including Somaliland and Puntland. These returning specialists, undertaking assignments ranging from three to twelve months, provide immediate, high level clinical care. More significantly, they conduct intensive capacity building workshops, transfer advanced technical knowledge, and establish

enduring institutional partnerships that bridge the gap between global medical standards and local operational realities.

During the critical early phases of the COVID 19 pandemic, diaspora infectious disease experts played paramount leadership roles: directing national isolation hospitals, coordinating WHO clinical protocols, and urgently advising the federal response on mechanical ventilation and PPE deployment. Therefore, targeted diaspora engagement represents an immediate and highly effective strategy for rapidly injecting specialized TMID expertise into the fragile Somali health system, accelerating both the quality and sustainability of national healthcare capacity.

Empowering Community Health Workers: Decentralization, Training, and Outcomes




Figure. Community and immunization outreach result card inserted in the section on female CHWs and zero dose tracking.

TMID specialists have fundamentally reshaped the landscape of public health in Somalia by decentralizing specialized knowledge to the community level. Recognizing the limited accessibility of formal healthcare facilities, experts have collaborated with organizations such as Africa CDC and KOICA to aggressively upskill female Community Health Workers (CHWs). Through intensive training in standardized case definitions and the deployment of digitized community public health signal lists, these specialists have transformed CHWs into highly effective early warning sentinels.

Recent initiatives have demonstrated the impact of this approach: 105 female CHWs conducted outreach to 18,983 households, reaching over 104,000 individuals. Their efforts resulted in the tracking of zero dose children, proactive countering of vaccine misinformation, and the generation of 1,426 direct referrals for suspected cases of diphtheria, tuberculosis, and severe diarrhoeal diseases. These outcomes underscore the efficacy of structured, specialist guided grassroots epidemiological surveillance in strengthening Somalia's disease detection and response capabilities.


Elevating Global Health Security: IHR Compliance, Points of Entry Vulnerabilities, and TMID Roles

The role of TMID specialists in Somalia extends beyond individual patient care to encompass the stabilization of regional and global health security. The World Health Organization's International Health Regulations (IHR 2005) establish a binding legal framework requiring all member states to possess core capacities for the prevention, detection, and response to international health emergencies. Somalia's compliance remains insufficient, with recent State Party Self Assessment Annual Reporting (SPAR) scores averaging approximately 33 out of 100.

Critical vulnerabilities are evident at Somalia's 48 Points of Entry (PoEs), including land borders, seaports, and airports. Assessments reveal that 63% of seaports lack adequate screening measures, and 69% of airports are deficient in medical personnel, health security standards, and decontamination capabilities. TMID specialists are uniquely qualified to design and implement the National Action Plan for Health Security (NAPHS), deploying expertise in cross border surveillance, rapid antigen testing, and advanced infection control protocols. Their contributions are vital for preventing the importation and exportation of highly transmissible diseases, thereby safeguarding both the domestic population and neighboring regions.

The establishment of robust, interlinked surveillance systems along high risk migrant corridors is contingent upon the strategic direction provided by infectious disease experts. This necessity has been recognized internationally, as evidenced by the Africa CDC's successful acquisition of \$234 million from the Pandemic Fund, with \$40 million specifically allocated to enhance integrated regional preparedness and cross border hotspot monitoring.

Adapting to the Climate Health Paradigm: Proactive Strategies and Multi Sectoral Planning



PRIORITY ACTION AGENDA FOR TMID IN SOMALIA

1. SPECIALIST WORKFORCE

Scale postgraduate TMID pathways, hybrid diplomas, and supervised hospital fellowships.

2. LAB AND MICROBIOLOGY

Expand PCR, culture, susceptibility testing, and genomic surveillance beyond emergency use.

3. AMR AND IPC

Institutionalize stewardship, infection prevention, and updated clinical guidelines.

4. IMMUNIZATION AND OUTREACH

Close zero-dose gaps through catch-up campaigns, CHWs, and referral readiness.

5. SURVEILLANCE AND POES

Strengthen EWARN, IDSR, AFP, and screening at airports, seaports, and land borders.

6. CLIMATE-RESILIENT SYSTEMS

Invest in climate-proof WASH, early warning, mobile vaccination, and flood/drought planning.

Figure. Priority action agenda positioned with the climate health and global health security discussion.

TMID specialists in Somalia are increasingly required to operate at the intersection of climate adaptation and public health. Traditional reactive outbreak control measures are insufficient in the face of climate driven disease dynamics; instead, proactive, climate resilient strategies are imperative. Specialists are integral to multi sectoral planning, utilizing hydro meteorological data and climate vulnerability assessments to anticipate waterborne disease surges.

Advocacy for climate proof WASH infrastructure including flood resistant latrines and elevated water points in vulnerable, flood prone internally displaced persons (IDP) settlements is a core component of this approach. By integrating advanced genomic surveillance, meteorological early warning systems, and agile mobile vaccination campaigns, TMID professionals are pioneering a modernized paradigm of disease control. This paradigm aims to disrupt the feedback loop between extreme weather events and explosive infectious disease outbreaks, thereby enhancing systemic resilience.

Conclusion: TMID Specialists' Multifaceted Contributions and Strategic Importance




Figure. Closing visual echoing the article's infectious disease burden narrative.




Figure. Mortality pattern reminder positioned before the concluding synthesis.

TMID professionals are central to the structural advancement of Somalia's healthcare system through multifaceted, indispensable avenues. Their expertise elevates clinical standards and enables the management of complex, high mortality outbreaks at national referral centers such as De Martino Hospital. They lead the fight against antimicrobial resistance by enforcing diagnostic stewardship and infection control protocols, mentor emerging frontline epidemiologists through expanding domestic postgraduate programs, and bridge the gap between community health workers and advanced molecular surveillance systems.

Strategic prioritization of this discipline by the national government and international partners is evident in the integration of communicable disease management into the Essential Package of Health Services (EPHS), the scaling of molecular and genomic laboratory capacities at the National Public Health Reference Laboratory, and the deployment of the Field Epidemiology Training Program. As the scarcity of specialized human capital remains the greatest bottleneck to progress, the value of every individual pursuing TMID specialization cannot be overstated.

Whether cultivated through domestic academic pathways or returning via diaspora engagement initiatives, TMID specialists are the indispensable architects of Somalia's transition from reactive, fragmented humanitarian crisis management toward a sovereign, resilient paradigm of sustained national and global health security. Their contributions represent the foundation upon which future advances in public health, epidemic control, and systemic resilience will be built.



Prepared by: Dr Abdulrazaq Yusuf Ahmed
MPH, MSc(HM), PhD (Health Economics), PhD (Demography & Social Sciences)

Health Systems Expert | Public Sector Transformer | Global Health Leader | Academic Researcher

Director General, National Health Insurance Authority (NHIA)

Federal Ministry of Health, Somalia

Email:

drjalaal@nhia.gov.so |
drjalaal@hotmail.com
drjalaal@rugsan.org |
drjalaal@riyaadaacademy.org

Phone:

+252 615 572 605

Web:

drjalaaludiin.com |
drjalaaludiin.link

Research:

[ORCID](#) | [Scopus](#):
57222062380 | [WoS](#): ADD
3214 2022

Affiliations:

[RUGSAN](#) | [RIYAADA](#) |
[LinkedIn](#)



References

- Africa CDC (2024) Africa CDC Welcomes Pandemic Fund Allocations and Strengthened Support for African Preparedness. ReliefWeb. Available at:**
<https://reliefweb.int/report/world/africa-cdc-welcomes-pandemic-fund-allocations-and-strengthened-support-african-preparedness> (Accessed: 16 March 2026).
- Africa CDC (2024) Women Transform Health Security in Somalia. Available at:**
<https://africacdc.org/news-item/women-transform-health-security-in-somalia/> (Accessed: 16 March 2026).
- African Field Epidemiology Network [AFENET] (n.d.) Somalia's Cohort 6 frontline FETP focus on immunization and laboratory system strengthening. Available at:**
<https://afenet.net/somalias-cohort-6-frontline-fetp-focus-on-immunization-and-laboratory-system-strengthening/> (Accessed: 16 March 2026).
- African Union (n.d.) Individual Consultants REOI. Available at:**
<https://au.int/sites/default/files/bids/44209-REOI-CONSULTANTS.pdf> (Accessed: 16 March 2026).
- Ahmed, A.Y. (2024) 'Assessing Healthcare Challenges in Somalia: A 2024 Perspective', ACH Medical Journal. Available at:**
<https://dergipark.org.tr/en/pub/achmedicaljournal/article/1459767> (Accessed: 16 March 2026).
- Ahmed, A.Y. (2025) 'Health systems governance in Somalia: An examination of validity, digital accountability, and community health workforce through mixed methods research', Advances in Social Sciences and Management, 3(04), pp. 138-167. doi:10.63002/assm.304.1056.**
- Ahmed, A.Y. (n.d.) Google Scholar Profile. Available at:**
<https://scholar.google.com/citations?user=1Wgd3LYAAAAJ&hl=en> (Accessed: 16 March 2026).
- Ahmed, A.Y. (n.d.) ORCID Profile: 0000-0002-6985-1087. Available at:**
<https://orcid.org/0000-0002-6985-1087> (Accessed: 16 March 2026).
- Ahmed, A.Y. (n.d.) ResearchGate Uploads. Available at:**
<https://www.researchgate.net/profile/Abdulrazaq-Ahmed/publications> (Accessed: 16 March 2026).
- Ali, A.M. et al. (2024) 'Epidemiological investigation of dengue fever outbreak and its management', PMC. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC11007931/> (Accessed: 16 March 2026).**
- Baylor College of Medicine (n.d.) What is Tropical Medicine? National School of Tropical Medicine. Available at: <https://www.bcm.edu/education/national-school-of-tropical-medicine/what-is-tropical-medicine> (Accessed: 16 March 2026).**
- Beacon Bio (n.d.) Somalia has reported 3129 suspected diphtheria cases and 132 deaths. Available at: <https://beaconbio.org/en/report/?reportid=5845e681-493e-45cf-8697-dc6912aeafcc> (Accessed: 16 March 2026).**

- Benadir University (n.d.) Master of Tropical and Infectious Diseases.** Available at: <https://www.bu.edu.so/academics/postgraduate/Master%20of%20Tropical%20and%20Infectious%20diseases> (Accessed: 16 March 2026).
- CDC (2024) Prevention & Response | Global Health Annual Report 2024.** Centers for Disease Control and Prevention. Available at: https://www.cdc.gov/global_health/annual_report_2024/prevention_response.html (Accessed: 16 March 2026).
- CEIC Data (n.d.) Somalia SO: Specialist Surgical Workforce: per 100,000 population.** Available at: https://www.ceicdata.com/en/somalia/health_statistics/so_specialist_surgical_workforce_per_100000_population (Accessed: 16 March 2026).
- De Martino Public Hospital (n.d.) About Us.** Available at: https://martino.gov.so/about_us/ (Accessed: 16 March 2026).
- De Martino Public Hospital (n.d.) Clinical Departments.** Available at: https://martino.gov.so/clinical_departments/ (Accessed: 16 March 2026).
- Federal Government of Somalia (2021) Somalia Health Sector Strategic Plan 2022 2026 (HSSP III).** Available at: https://mighealth_policy_africa.org/wp-content/uploads/2023/11/federal_government_of_somalia_2021_somalia_health_sector_strategic_plan_2022_2026_hs.pdf (Accessed: 16 March 2026).
- Frontiers (2022) 'Grand challenges in major tropical diseases', Frontiers in Tropical Diseases.** Available at: https://www.frontiersin.org/journals/tropical_diseases/articles/10.3389/fitd.2022.1037913/full (Accessed: 16 March 2026).
- Frontiers in Public Health (2023) Progress and experiences of implementing an integrated disease surveillance system.** Available at: https://www.frontiersin.org/journals/public_health/articles/10.3389/fpubh.2023.1204165/full (Accessed: 16 March 2026).
- GTFCC (2025) pami report somalia.pdf.** Global Task Force on Cholera Control. Available at: https://www.gtfcc.org/wp-content/uploads/2025/09/pami_report_somalia.pdf (Accessed: 16 March 2026).
- IOM (n.d.) Coming Home to a Crisis: Somali diaspora Step Up to Fight.** Medium. Available at: https://medium.com/@UNmigration/coming_home_to_a_crisis_f80141ad1db9 (Accessed: 16 March 2026).
- IOM / IDiaspora (n.d.) Diaspora engagement projects in the health sector in Africa.** Available at: <https://www.idiaspora.org/sites/g/files/tmzbd12361/files/resources/document/Diaspora%2520engagement%2520projects%2520in%2520the%2520health%2520sector%2520in%2520Africa.pdf> (Accessed: 16 March 2026).
- James Lind Institute (n.d.) Advanced PG Diploma in Tropical Medicine, Surveillance and Immunization.** Available at: https://apply.jliedu.ch/courses/course/54_apgd_tmsi (Accessed: 16 March 2026).
- Masters Public Health (n.d.) What is Tropical Medicine? A Guide to Global Health Challenges.** Available at: https://masterspublichealth.com/what_is_tropical_medicine/ (Accessed: 16 March 2026).
- MDPI (n.d.) Tropical Medicine and Infectious Disease | An Open Access Journal.** Available at: <https://www.mdpi.com/journal/tropicalmed> (Accessed: 16 March 2026).

- Ministry of Health and Human Services (2020) De Martino Hospital Report. Federal Government of Somalia. Available at: [https://moh.gov.so/en/wp-content/uploads/2020/07/De Martino Hospital.pdf](https://moh.gov.so/en/wp-content/uploads/2020/07/De_Martino_Hospital.pdf) (Accessed: 16 March 2026).**
- Ministry of Health and Human Services (2020) Somalia's EPHS Implementation Plan. Federal Government of Somalia. Available at: <https://moh.gov.so/en/wp-content/uploads/2020/07/EPHSIM1.pdf> (Accessed: 16 March 2026).**
- Ministry of Health and Human Services (2024) Essential Package of Health Services Implementation Strategic Plan. Federal Government of Somalia. Available at: [https://moh.gov.so/so/wp-content/uploads/2024/08/EPHS Implementation stratigy.pdf](https://moh.gov.so/so/wp-content/uploads/2024/08/EPHS_Implementation_stratigy.pdf) (Accessed: 16 March 2026).**
- MSF Academy (n.d.) Infectious Diseases MSF Academy for Healthcare. Available at: [https://academy.msf.org/what we do/infectious diseases/](https://academy.msf.org/what-we-do/infectious-diseases/) (Accessed: 16 March 2026).**
- ReliefWeb (2023) Cases of infectious diseases in Somalia double in 3 months as aid cuts bite. Available at: [https://reliefweb.int/report/somalia/cases infectious diseases somalia double 3 months aid cuts bite children under five hit hardest](https://reliefweb.int/report/somalia/cases-infectious-diseases-somalia-double-3-months-aid-cuts-bite-children-under-five-hit-hardest) (Accessed: 16 March 2026).**
- ResearchGate (2024) Epidemiological Profile and Clinical Outcomes of Laboratory Confirmed Measles Cases in Somalia. Available at: [https://www.researchgate.net/publication/395001527_Epidemiological_Profile_and_Clinical_Outcomes_of_Laboratory Confirmed Measles_Cases_in_Somalia](https://www.researchgate.net/publication/395001527_Epidemiological_Profile_and_Clinical_Outcomes_of_Laboratory_Confirmed_Measles_Cases_in_Somalia) (Accessed: 16 March 2026).**
- Seid, M.A. et al. (2020) 'Introduction to Tropical Medicine', Journal of Tropical Medicine, PMC7127597. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7127597/> (Accessed: 16 March 2026).**
- Somali National University (n.d.) Master of Public Health. Available at: [https://sphr.snu.edu.so/master of public health/](https://sphr.snu.edu.so/master-of-public-health/) (Accessed: 16 March 2026).**
- Somali National University (n.d.) Postgraduate Diploma of Epidemiology and Biostatistics. Available at: [https://snu.edu.so/postgraduate diploma of epidemiology and biostatistics/](https://snu.edu.so/postgraduate-diploma-of-epidemiology-and-biostatistics/) (Accessed: 16 March 2026).**
- SONNA (n.d.) De Martino Public Hospital: Leading Healthcare in Somalia through Resilience and Dedication. Available at: [https://sonna.so/en/demartino public hospital leading healthcare in somalia through resilience and dedication/](https://sonna.so/en/demartino-public-hospital-leading-healthcare-in-somalia-through-resilience-and-dedication/) (Accessed: 16 March 2026).**
- Springer Medizin (n.d.) Combating infectious disease outbreaks in Somalia's fragile health system. Available at: [https://www.springermedizin.de/combating infectious disease outbreaks in somalia s fragile heal/52112968](https://www.springermedizin.de/combating-infectious-disease-outbreaks-in-somalia-s-fragile-heal/52112968) (Accessed: 16 March 2026).**
- University of Bergen [UiB] (n.d.) Country Led Priority Setting for Health. Available at: https://www.uib.no/sites/w3.uib.no/files/attachments/9781464821059_ch6.pdf (Accessed: 16 March 2026).**
- WHO (2021) COVID 19 in health workers in Somalia Information Note 7. EMRO. Available at: [https://www.emro.who.int/images/stories/somalia/documents/covid 19 information note 7.pdf](https://www.emro.who.int/images/stories/somalia/documents/covid-19-information-note-7.pdf) (Accessed: 16 March 2026).**

WHO (2021) Policy brief: Shaping national health security in Somalia. EMRO. Available at: https://www.emro.who.int/images/stories/somalia/documents/policy_brief_shaping_national_health_security_in_somalia_october_2021.pdf (Accessed: 16 March 2026).

WHO (2023) Rapid build up of essential public health functions in Somalia. EMRO. Available at: https://www.emro.who.int/images/stories/somalia/documents/strengthening_public_health_systems_case_study_august_1_2023.pdf (Accessed: 16 March 2026).

WHO (2024) Somalia WHO Data. Available at: <https://data.who.int/countries/706> (Accessed: 16 March 2026).

WHO (n.d.) Somalia National Action Plan on Combating Antimicrobial Resistance. Available at: https://cdn.who.int/media/docs/default_source/antimicrobial_resistance/amr_spc_npm/nap_library/somalia_nap_amr.pdf (Accessed: 16 March 2026).